

GENERAL CATALOG

LEUCOS
2022

INDEX BY APPLICATION
INDICE PER APPLICAZIONE

TABLE TAVOLO	P	FLOOR TERRA	P	PENDANT SOSPENSIONE	P
Aella T 54	34 upg	Stacking B TR	48	Aella S 54	36 upg
Aella Mini T 30	35	Stacking C TR	48	Aella Mini S 30	37
Lightbody T	26 new	Stacking D TR	48	Aurelia S 45	12 new
Lightbody Bold T	26 new			Aurelia Bold S 22	12 new
Paralume Mini T	102			Ether S	119
Paralume P(Small)T	103			Ether S 90	118
Paralume M(Medium)T	104			Ether S 150	121
Paralume G(Big)T	104			Glò S	112
				Glò S/I	113
				Glò Incasso I	115
				Keyra S 30	54
				Keyra S 60	55
				Lightbody S	24 new
				Lightbody Bold S	24 new
				Lilith S 40	127
				Lilith S 55	126
				Lilith S 70	127
				Volta S 120	62
				Volta S 160	64
WALL PARETE	P	CEILING SOFFITTO	P	RECESSED INCASSO	P
Alias P 15	70 upg	Beta Small P-PL	77 upg	Drop I	147
Alias P 35	68 upg	Beta Big P-PL	74	Iside 2 I	145
Beta Small P-PL	77 upg	Cubi P-PL 11	96	Mira 2 I	145
Beta Big P-PL	74	Cubi P-PL 16	97	Pegaso I	146
Celine P	86 upg	Cubi P-PL 28	98	SD 802 I	148
Celine P 35	87 upg	Keyra P-PL 30	56 upg	SD 803 I	148
Cubi P-PL 11	96	Keyra P-PL 60	57	Sideral I	146
Cubi P-PL 16	97	Lilith PL 40	129	Sun I	144
Cubi P-PL 28	98	Lilith PL 55	129	Van 2 I	144
Keyra P-PL 30	56 upg	Lilith PL 70	128		
Keyra P-PL 60	57	Pascale PL 30	132		
Pascale P 40	134	Pascale PL 40	133		
Planet P-PL 32	82	Planet P-PL 32	82		
Planet P-PL 48	83	Planet P-PL 48	83		
Planet P-PL 65	80	Planet P-PL 65	80		
Vittoria P2	90				

AURELIA

DESIGN BY PATRICK JOUIN, 2021



Aurelia S 45 + Aurelia Bold S 22, Transparent Diffuser + Glossy Warm White Structure

Aurelia S 45 + Aurelia Bold S 22, Diffusore Trasparente + Struttura Bianco Caldo Lucido

AURELIA S 45
(NEW)**USER REPLACEABLE LED**

TYPE

Pendant/Sospensione

ENVIRONMENT

Indoor/Interno

LIGHT SOURCE

Single or double switch and dimming

Singola o doppia accensione e dimmerazione

Direct: LED 1 x 11,6W 1531lm (nominal) 3000K CRI≥90

Indirect: LED 1 x 18W 1960lm (nominal) 3000K CRI≥90

or

Direct: LED 1 x 11,6W 1471lm (nominal) 2700K CRI≥90

Indirect: LED 1 x 18W 1700lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA

Single or double switch and dimming/

Singola o doppia accensione e dimmerazione

Direct: LED 1 x 11,6W 1531lm (nominal) 3000K CRI≥90

Indirect: LED 1 x 12W 1330lm (nominal) 3000K CRI≥90

or

Direct: LED 1 x 11,6W 1471lm (nominal) 2700K CRI≥90

Indirect: LED 1 x 12W 1300lm (nominal) 2700K CRI≥90

MARKING

Dry Location



CONTROL

Push-dim; 0/1-10V

Phase cut/Taglio di fase

On request/Su richiesta: DALI (not for USA and Canada)

MATERIALS

Diffuser/Diffusore: Blown Glass/Vetro Soffiato

Structure/Struttura: Metal/Metallo

FINISHES (DIFFUSER + STRUCTURE)

Transparent + Matte Gunmetal

Transparent + Vintage Brass

Transparent + Glossy Warm White

Smoke Grey + Matte Gunmetal

Smoke Grey + Vintage Brass

Smoke Grey + Glossy Warm White

*Trasparente + Canna di Fucile Opaco**Trasparente + Ottone Vintage**Trasparente + Bianco Caldo Lucido**Fumè + Canna di Fucile Opaco**Fumè + Ottone Vintage**Fumè + Bianco Caldo Lucido***AURELIA BOLD S 22**
(NEW)**USER REPLACEABLE LED**

TYPE

Pendant/Sospensione

ENVIRONMENT

Indoor/Interno

LIGHT SOURCE

Single or double switch and dimming

Singola o doppia accensione e dimmerazione

Direct: LED 1 x 11,6W 1531lm (nominal) 3000K CRI≥90

Indirect: LED 1 x 7,2W 784lm (nominal) 3000K CRI≥90

or

Direct: LED 1 x 11,6W 1471lm (nominal) 2700K CRI≥90

Indirect: LED 1 x 7,2W 768lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA

Single or double switch and dimming/

Singola o doppia accensione e dimmerazione

Direct: LED 1 x 11,6W 1531lm (nominal) 3000K CRI≥90

Indirect: LED 1 x 7,2W 784lm (nominal) 3000K CRI≥90

or

Direct: LED 1 x 11,6W 1471lm (nominal) 2700K CRI≥90

Indirect: LED 1 x 7,2W 768lm (nominal) 2700K CRI≥90

MARKING

Dry Location



CONTROL

Push-dim; 0/1-10V

Phase cut/Taglio di fase

On request/Su richiesta: DALI (not for USA and Canada)

MATERIALS

Diffuser/Diffusore: Blown Glass/Vetro Soffiato

Structure/Struttura: Metal/Metallo

FINISHES (DIFFUSER + STRUCTURE)

Transparent + Matte Gunmetal



Transparent + Vintage Brass

Transparent + Glossy Warm White

Smoke Grey + Matte Gunmetal

Smoke Grey + Vintage Brass

Smoke Grey + Glossy Warm White

*Trasparente + Canna di Fucile Opaco**Trasparente + Ottone Vintage**Trasparente + Bianco Caldo Lucido**Fumè + Canna di Fucile Opaco**Fumè + Ottone Vintage**Fumè + Bianco Caldo Lucido***AURELIA S 45****AURELIA BOLD S 22**



Aurelia S 45, Transparent Diffuser + Matte Gunmetal Structure (-) - Smoke Grey Diffuser + Vintage Brass Structure(-)

Aurelia S 45, Diffusore Trasparente + Struttura Canna di Fucile Opaco (-) - Diffusore Fumè + Struttura Ottone Vintage (-)



Aurelia Bold S 22, Transparent Diffuser+Matte Gunmetal Structure (-) - Smoke Grey Diffuser+Vintage Brass Structure (-)

Aurelia Bold S 22, Diffusore Trasparente+Struttura Canna di Fucile Opaco (-) - Diffusore Fumè+Struttura Ottone Vintage (-)



Aurelia S 45, Transparent Diffuser + Matte Gunmetal Structure

Aurelia S 45, Diffusore Trasparente + Struttura Canna di Fucile Opaco



Aurelia Bold S 22, Transparent Diffuser + Vintage Brass Structure

Aurelia Bold S 22, Diffusore Trasparente + Struttura Ottone Vintage



Aurelia S 45, Smoke Grey Diffuser + Matte Gunmetal Structure

Aurelia S 45, Diffusore Fumè + Struttura Canna di Fucile Opaco



Aurelia Bold S 22, Transparent Diffuser + Glossy Warm White Structure

Aurelia Bold S 22, Diffusore Trasparente + Struttura Bianco Caldo Lucido

LIGHTBODY

DESIGN BY JÖRG HUGO, 2021



Lightbody Bold S + Lightbody S, Transparent Diffuser + Matte Black Structure

Lightbody Bold S + Lightbody S, Diffusore Trasparente + Struttura Nero Opaco

LIGHTBODY S + LIGHTBODY BOLD S
(NEW)

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
E27 1 x 10W Retrofit LED (max 1 X 43W Halogen Bulb)


LIGHT SOURCE FOR USA AND CANADA
E26 1 x 10W Retrofit LED (max 1 X 43W Halogen Bulb)

MARKING
Dry Location    


MATERIALS
Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Transparent + Matte Black/*Trasparente + Nero Opaco*

LIGHTBODY S



LIGHTBODY BOLD S





Lightboby T + Lightbody Bold T, Transparent Diffuser + Matte Black Structure

Lightboby T + Lightbody Bold T, Diffusore Trasparente + Struttura Nero Opaco

LIGHTBODY T + LIGHTBODY BOLD T
(NEW)

TYPE
Table/*Tavolo*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
E27 1 x 10W Retrofit LED (max 1 X 43W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
E26 1 x 10W Retrofit LED (max 1 X 43W Halogen Bulb)

MARKING
Dry Location   



CONTROL
On-off or dimmer on cord/*On-off o dimmer su cavo*

MATERIALS
Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Transparent + Matte Black/*Trasparente + Nero Opaco*

LIGHTBODY T

LIGHTBODY BOLD T





Lightbody S + Lightbody Bold S + Lightbody Bold T, Transparent Diffuser + Matte Black Structure

Lightbody S + Lightbody Bold S + Lightbody Bold T, Diffusore Trasparente + Struttura Nero Opaco





Lightbody Bold T + Lightbody T, Transparent Diffuser + Matte Black Structure

Lightbody Bold T + Lightbody T, Diffusore Trasparente + Struttura Nero Opaco



AELLA

DESIGN BY TOSO & MASSARI, 1968



Aella T 54, Transparent Diffuser + Glossy Warm White Structure

Aella T 54, Diffusore Trasparente + Struttura Bianco Caldo Lucido

AELLA T 54

(UPGRADED LED and COLORS)

USER REPLACEABLE LED



TYPE

Table/*Tavolo*

ENVIRONMENT

Indoor/*Interno*

LIGHT SOURCE

LED 1 x 26,5W LED 3800lm (nominal) 3000K CRI≥90
 LED 1 x 26,5W LED 3660lm (nominal) 2700K CRI≥90
 E27 1 x 10W Retrofit LED (max 1 X 100W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA

LED 1 x 26.5W LED 3800lm (nominal) 3000K CRI≥90
 LED 1 x 26.5W LED 3660lm (nominal) 2700K CRI≥90

MARKING

Dry Location



CONTROL

Dimmer on cord/*Dimmer su cavo*

MATERIALS

Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
 Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)

Transparent + Glossy Chrome
 Transparent + Glossy Warm White
 Transparent + Vintage Brass
 Smoke Grey + Matte Gunmetal

Trasparente + Cromo Lucido

Trasparente + Bianco Clado Lucido

Trasparente + Ottone Vintage

Fumè + Canna di Fucile Opaco

ON REQUEST

Other combination colors

Altre combinazioni colore

AELLA MINI T 30

TYPE

Table/*Tavolo*

ENVIRONMENT

Indoor/*Interno*

LIGHT SOURCE

LED 1 x 6,1W 762lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA

LED 1 x 6.1W 762lm (nominal) 2700K CRI≥90

MARKING

Dry Location



CONTROL

Dimmer on cord/*Dimmer su cavo*

MATERIALS

Diffuser/*Diffusore*: Glass/*Vetro*
 Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)

Transparent + Glossy Chrome
 Transparent + Glossy Warm White
 Smoke Grey + Glossy Gunmetal



Trasparente + Cromo Lucido

Trasparente + Bianco Caldo Lucido

Fumè + Canna di Fucile Lucido

AELLA T 54

AELLA MINI T 30





Aella S 54, Smoke Grey Diffuser + Matte Gunmetal Structure

Aella S 54, Diffusore Fumè + Struttura Canna di Fucile opaco

AELLA S 54 USER REPLACEABLE LED
(UPGRADED LED and COLORS)

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*interno*

LIGHT SOURCE
LED 1 x 26,5W 3800lm (nominal) 3000K CRI≥90
LED 1 x 26,5W 3660lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 26.5W 3800lm (nominal) 3000K CRI≥90
LED 1 x 26.5W 3660lm (nominal) 2700K CRI≥90

MARKING
Dry Location   

CONTROL
Push-dim; 0/1-10V; DALI (DALI not for US and CANADA)
Phase-cut/*Taglio di fase*

MATERIALS
Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Transparent + Glossy Chrome
Transparent + Glossy Warm White
Transparent + Vintage Brass
Smoke Grey + Matte Gunmetal

Trasparente + Cromo Lucido
Trasparente + Bianco Clado Lucido
Trasparente + Ottone Vintage
Fumè + Canna di Fucile Opaco

ON REQUEST
Other combination colors
Altre combinazioni colore

AELLA MINI S 30

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*interno*

LIGHT SOURCE
LED 1 x 4,2W 564lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 4.2W 564lm (nominal) 2700K CRI≥90

MARKING
Dry Location    


CONTROL
Phase-cut/*Taglio di fase*

MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*


FINISHES (DIFFUSER + STRUCTURE)
Transparent + Glossy Chrome
Transparent + Glossy Warm White
Smoke Grey + Glossy Gunmetal

Trasparente + Cromo Lucido
Trasparente + Bianco Clado Lucido
Fumè + Canna di Fucile Lucido

AELLA S 54



AELLA MINI S 30





Aella T 54, Transparent Diffuser + Vintage Brass Structure (-) – Smoke Grey Diffuser + Matte Gunmetal Structure (-)

Aella T 54, Diffusore Trasparente + Struttura Ottone Vintage (-) – Diffusore Fumè + Struttura Canna di Fucile Opaco (-)



Aella S 54, Transparent Diffuser + Vintage Brass Structure (-) - Transparent Diffuser + Glossy Warm White Structure (-)

Aella S 54, Diffusore Trasparente + Struttura Ottone Vintage (-) - Diffusore Trasparente + Struttura Bianco Caldo Lucido (-)



Aella S 54, Transparent Diffuser + Matte Gunmetal Structure

Aella S 54, Diffusore Trasparente + Struttura Canna di Fucile Opaco






Aella T 54, Transparent Diffuser + Vintage Brass Structure

Aella T 54, Diffusore Trasparente + Struttura Ottone Vintage

Equipée d'ampoule 1x150 W - 220 V Philips argenta superlux.
Dimensions: ø 54 cm, h 50 cm.

Verselen mit Glühbirne 1x150 W - 220 V Philips Argenta S
Masse: ø cm 54, h cm 50.



92

STACKING

DESIGN BY ROCKWELL GROUP, 2007



Stacking C TR, Stacking D TR, Stacking B TR

Stacking C TR, Stacking D TR, Stacking B TR

STACKING B TR + STACKING C TR + STACKING D TR

TYPE
Floor/Terra

ENVIRONMENT
Indoor/Interno

LIGHT SOURCE
GU10 4 x 7W Retrofit LED (max 4 x 50W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
GU10 4 x 7W Retrofit LED (max 4 x 35W Halogen Bulb)

MARKING
Dry location   

CONTROL
Dimmer on cord/Dimmer su cavo

MATERIALS
Diffuser/Diffusore: Blown Glass/Vetro Soffiato
Structure/Struttura: Metal/Metallo


FINISHES (DIFFUSER + STRUCTURE)

STACKING B:
Smoke Grey, White, Smoke Grey, White, Mirror + Glossy Chrome/
Fumè, Bianco, Fumè, Bianco, Specchio + Cromo lucido


STACKING C:
Smoke Grey, White, Amber, Tobacco, White, Amber + Glossy Gold/
Fumè, Bianco, Ambra, Tabacco Trasparente, Bianco, Ambra + Oro lucido

STACKING D:
White, Gold, Transparent Tobacco, White, Gold, Black + Glossy Gold/
Bianco, Oro, Tabacco Trasparente, Bianco, Oro, Nero + Oro lucido


STACKING B TR



STACKING C TR



STACKING D TR





STACKING D TR, White, Gold, Transparent Tobacco, White, Gold, Black + Glossy Gold Structure (-)
Stacking D TR, Bianco, Oro, Tabacco Trasparente, Bianco, Oro, Nero + Struttura Oro lucido (-)

Stacking B TR, Smoke Grey, White, Smoke Grey, White, Mirror + Chrome Structure (-)
Stacking B TR, Fumè, Bianco, Fumè, Bianco, Specchio + Struttura Cromo (-)



Stacking C TR, Smoke Grey, White, Amber, Transparent Tobacco, White, Amber + Glossy Gold Structure

Stacking C TR, Fumè, Bianco, Ambra, Tabacco Trasparente, Bianco, Ambra + Struttura Oro lucido

KEYRA

DESIGN BY ROBERTO PAOLI, 2011



Keyra S 30, Transparent/Satin White Diffuser + Glossy White Structure

Keyra S 30, Diffusore Trasparente/Bianco Satinato + Struttura Bianco Lucido

KEYRA S 30

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 1 x 13W 900lm (nominal) 3000K

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 12W 1000lm (nominal) 3000K

MARKING
Dry Location



MATERIALS
Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Transparent/*Satin White* + Glossy White
Trasparente/Bianco Satinato + *Bianco Lucido*

KEYRA S 60

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 2 x 13W 1800lm (nominal) 3000K



LIGHT SOURCE FOR USA AND CANADA
LED 2 x 12W 2000lm (nominal) 3000K

MARKING
Dry Location



MATERIALS
Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Transparent/*Satin White* + Glossy White
Trasparente/Bianco Satinato + *Bianco Lucido*

KEYRA S 30**KEYRA S 60**



Keyra P-PL 30, Transparent/Satin White Diffuser + Glossy White Structure

Keyra P-PL 30, Diffusore Trasparente/Bianco Satinato + Struttura Bianco Lucido

KEYRA P-PL 30
(UPGRADED LED)**USER REPLACEABLE LED**

TYPE

Wall-Ceiling/*Parete-Soffitto*

ENVIRONMENT

Indoor/*Interno*

LIGHT SOURCE

LED 1 x 8,2W 1119lm (nominal) 3000K CRI \geq 90

LIGHT SOURCE FOR USA AND CANADA

LED 1 x 8.2W 1119lm (nominal) 3000K CRI \geq 90

MARKING

Dry Location



CONTROL

Push-dim; 0/1-10V

Phase cut/*Taglio di fase*

MATERIALS

Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)

Transparent/Satin White + Glossy White

*Trasparente/Bianco Satinato + Bianco Lucido***KEYRA P-PL 60**

TYPE

Wall-Ceiling/*Parete-Soffitto*

ENVIRONMENT

Indoor/*Interno*

LIGHT SOURCE

LED 2 x 13W 1800lm (nominal) 3000K

LIGHT SOURCE FOR USA AND CANADA

LED 2 x 12W 2000lm (nominal) 3000K

MARKING

Dry Location





MATERIALS

Diffuser: Blown Glass

Structure: Metal

FINISHES (DIFFUSER + STRUCTURE)

Transparent/Satin White + Glossy White

*Trasparente/Bianco Satinato + Bianco Lucido***KEYRA P-PL 30****KEYRA P-PL 60**



Keyra P-PL 30, Transparent/Satin White Diffuser + Glossy White Structure

Keyra P-PL 30, Diffusore Trasparente/Bianco Satinato + Struttura Bianco Lucido



Keyra P-PL 30, Transparent/Satin White Diffuser + Glossy White Structure

Keyra P-PL 30, Diffusore Trasparente/Bianco Satinato + Struttura Bianco Lucido

VOLTA

DESIGN BY FROM INDUSTRIAL DESIGN, 2015



Volta S 120, Textured black

Volta S 120, Nero Raggrinzante Opaco

VOLTA S 120

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 1 x 23W 1950lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 23W 1950lm (nominal) 2700K CRI≥90

MARKING
Dry location   

CONTROL
Push Dimmer

MATERIALS
Diffuser: Methacrylate (PMMA)/*Metacrilato (PMMA)*
Structure: Aluminium/*Alluminio*

FINISHES (DIFFUSER + STRUCTURE)
Satin methacrylate + Matte White
Satin methacrylate + Textured Black RAL 9004

Metacrilato Satinato + Bianco Opaco
Metacrilato Satinato + Nero Raggrinzante Opaco RAL 9004

VOLTA S 160

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 1 x 30W 2560lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 30W 2560lm (nominal) 2700K CRI≥90



MARKING
Dry location   

CONTROL
Push Dimmer

MATERIALS
Diffuser: Methacrylate (PMMA)/*Metacrilato (PMMA)*
Structure: Aluminium/*Alluminio*

FINISHES (DIFFUSER + STRUCTURE)
Satin methacrylate + Matte White
Satin methacrylate + Textured Black RAL 9004


Metacrilato Satinato + Bianco Opaco
Metacrilato Satinato + Nero Raggrinzante Opaco RAL 9004

VOLTA S 120**VOLTA S 160**



Volta S 160, Textured black

Volta S 160, Nero Raggrinzante Opaco



Volta S 160, Textured black + Volta S 120, Matte White

Volta S 160, Nero Raggrinzante Opaco + Volta S 120, Bianco Opaco

ALIAS

DESIGN BY WORKS STUDIO, 2004



Alias P35, Chrome

Alias P35, Cromo

ALIAS P 15
(UPGRADED LED) **USER REPLACEABLE LED**

TYPE
Wall/*Parete*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 2 x 6,4W 1880lm (nominal) 3000K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 2 x 6.4W 1880lm (nominal) 3000K CRI≥90

MARKING
Dry Location 

CONTROL
Phase cut/*Taglio di fase*
Push-dim; 0/1-10V (USA AND CANADA)

MATERIALS
Diffuser/*Diffusore*: Plastic/*Plastica*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Satin + White/*Satinato + Bianco*
Satin + Chrome/*Satinato + Cromo*
Satin + Brushed Brass/*Satinato + Ottone Spazzolato*

ON REQUEST
Custom colors/*Colori custom*

ALIAS P 35
(UPGRADED LED) **USER REPLACEABLE LED**

TYPE
Wall/*Parete*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 2 x 12,8W 3760lm (nominal) 3000K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 2 x 12.8W 3760lm (nominal) 3000K CRI≥90

MARKING
Dry Location 

CONTROL
Phase cut/*Taglio di fase*
Push-dim; 0/1-10V (USA AND CANADA)



MATERIALS
Diffuser/*Diffusore*: Plastic/*Plastica*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Satin + White/*Satinato + Bianco*
Satin + Chrome/*Satinato + Cromo*
Satin + Brushed Brass/*Satinato + Ottone Spazzolato*

ON REQUEST
Custom colors/*Colori custom*

ALIAS P 15

ALIAS P 35





Alias P15. White (-) - Alias P15, Brushed Brass (-)

Alias P15. Bianco (-) - Alias P15, Ottone Spazzolato (-)



Alias P35, Chrome

Alias P35, Cromo

BETA

DESIGN BY PAOLO FRANZIN, 2010



Beta Big P-PL, shades of sand + Brushed Steel Structure

Beta Big P-PL, Nuance Sabbia + Struttura Acciaio Spazzolato

BETA SMALL P-PL **USER REPLACEABLE LED**
(UPGRADED LED)

TYPE
Wall-Ceiling/*Parete-Soffitto*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 1 x 10W 1446lm (nominal) 3000K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 10W 1446lm (nominal) 3000K CRI≥90

MARKING
Dry Location     

CONTROL
Push-dim; 0/1-10V
Phase cut/*Taglio di fase*

MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Steel/*Acciaio*

FINISHES (DIFFUSER + STRUCTURE)
Gloss White with light OFF, shaded of sand with light ON + Satin Steel/
Con luce OFF Bianco Lucido, con luce ON Nuance Sabbia + Acciaio Satinato

BETA BIG P-PL
TYPE
Wall-Ceiling/*Parete-Soffitto*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
2GX13 T5 1 x max 22W + 2GX13 T5 1 x max 40W
Fluorescent bulb


LIGHT SOURCE FOR USA AND CANADA
2GX13 T5 1 x max 22W Fluorescent bulb

MARKING
Dry Location     


MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Steel/*Acciaio*

FINISHES (DIFFUSER + STRUCTURE)
Gloss White with light OFF, shaded of sand with light ON + Satin Steel/
Con luce OFF Bianco Lucido, con luce ON Nuance Sabbia + Acciaio Satinato

BETA SMALL P-PL



BETA BIG P-PL





Beta Small P-PL, With Light OFF (-), Beta Small P-PL, With Light ON (-)

Beta Small P-PL, con Luce OFF (-), Beta Small P-PL, con Luce ON (-)



Beta Small P-PL, With Light ON, shades of sand + Brushed Steel Structure

Beta Small P-PL, con Luce ON, Nuance Sabbia + Struttura Acciaio Spazzolato

PLANET

DESIGN BY LEUCOS DESIGN LAB, 2008



Planet P-PL 65, Satin White + Chrome Structure

Planet P-PL 65, Bianco Satinato + Struttura Cromo

PLANET P-PL 32

TYPE
Wall-Ceiling/*Parete-Soffitto*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
LED 1 x 10W 1350lm (nominal) 3000K

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 19.5W 1420lm (nominal) 3000K

MARKING
Dry Location    

MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*


FINISHES (DIFFUSER + STRUCTURE)
Satin White + Chrome/*Bianco Satinato + Cromo*

PLANET P-PL 48 + PLANET P-PL 65

TYPE
Wall-Ceiling/*Parete-Soffitto*


ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE (PLANET P-PL 48)
G9 6 x 3W Retrofit LED (max 6 X 33W Halogen Bulb)
LED 1 x 16W 2500lm (nominal) 3000K

LIGHT SOURCE FOR USA AND CANADA (PLANET P-PL 48)
G9 6 x 4W Retrofit LED (max 6 X 25W Halogen Bulb) 
LED 1 x 18W 2700lm (nominal) 3000K

CONTROL
1-10V, Push dimm

LIGHT SOURCE (PLANET P-PL 65)
G9 6 x 3W Retrofit LED (max 6 X 33W Halogen Bulb)
LED 6 x 7,5W 6000lm (nominal) 3000K

LIGHT SOURCE FOR USA AND CANADA (PLANET P-PL 65)
G9 6 x 4W Retrofit LED (max 6 X 25W Halogen Bulb)
LED 6 x 8,1W 6300lm (nominal) 3000K 


CONTROL (LED version)
0/1-10V, Push dim, DALI (DALI: not for US and CANADA)

MARKING
Dry Location    


MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Satin White + Chrome/*Bianco Satinato + Cromo*


PLANET P-PL 32



PLANET P-PL 48



PLANET P-PL 65





Planet P-PL 32, Satin White + Chrome Structure

Planet P-PL 32, Bianco Satinato + Struttura Cromo



Planet P-PL 48, Satin White + Chrome Structure

Planet P-PL 48, Bianco Satinato + Struttura Cromo

CELINE

DESIGN BY LEUCOS DESIGN LAB, 2002



Celine P, Satin White + Brushed Nickel Structure

Celine P, Bianco Satinato + Struttura Nickel Spazzolato

CELINE P
(UPGRADED LED)

USER REPLACEABLE LED

TYPE
Wall/*Parete*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
E27 1 x 10W Retrofit LED (max 1 X 100W Halogen Bulb)
LED 1 x 10W 1446lm (nominal) 3000K CRI≥90
LED 1 x 10W 1398lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 10W 1446lm (nominal) 3000K CRI≥90

MARKING
Dry Location

CONTROL (LED Version)
Push-dim; 0/1-10V
Phase cut/*Taglio di fase*

MATERIALS
Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Satin White + Brushed Nickel/
Bianco Satinato + Nickel Spazzolato



CELINE P 35
(UPGRADED LED)

USER REPLACEABLE LED

TYPE
Wall/*Parete*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
E27 1 x 10W Retrofit LED (max 1 X 150W Halogen Bulb)
LED 1 x 10W 1446lm (nominal) 3000K CRI≥90
LED 1 x 10W 1398lm (nominal) 2700K CRI≥90

LIGHT SOURCE FOR USA AND CANADA
LED 1 x 10W 1446lm (nominal) 3000K CRI≥90

MARKING
Dry Location


CONTROL (LED Version)
Push-dim; 0/1-10V
Phase cut/*Taglio di fase*

MATERIALS
Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*
Structure/*Struttura*: Metal/*Metallo*


FINISHES (DIFFUSER + STRUCTURE)
Satin White + Brushed Nickel/
Bianco Satinato + Nickel Spazzolato



CELINE P



CELINE P 35



VITTORIA

DESIGN BY TOSO, MASSARI & ASSOCIATES, 1992



Vittoria P2, Satin White

Vittoria P2, Bianco Satinato

VITTORIA P2

TYPE

Wall/*Parete*

ENVIRONMENT

Indoor/*Interno***LIGHT SOURCE**R7s 80mm 1 X 10W Retrofit LED (max 1 x 120W Halogen Bulb)
LED 3 x 5W 1300lm (nominal) 3000K**LIGHT SOURCE FOR USA AND CANADA**R7s 80mm 1 X 10W Retrofit LED (max 1 x 150W Halogen Bulb)
LED 3 x 3.2W 1270lm (nominal) 3000K

MARKING

Dry location




CONTROL

Phase cut/*Taglio di fase*

MATERIALS

Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)

White + Chrome/*Bianco + Cromo***VITTORIA P2**



Vittoria P2, Satin White

Vittoria P2, Bianco Satinato



CUBI

DESIGN BY LEUCOS DESIGN LAB, 2000



Cubi P-PL 11, Satin White + Grey Structure

Cubi P-PL 11, Bianco Satinato + Struttura Grigia

CUBI P-PL 11

TYPE

Wall-Ceiling/*Parete-Soffitto*


ENVIRONMENT

Indoor/*Interno*


LIGHT SOURCE

G9 1 x 3W Retrofit LED IP20 (max 1 x 33W Halogen Bulb)
 LED 1 x 5W 500lm (nominal) 3000K IP20
 LED 1 X 4W 500lm (nominal) 2700K IP20
 LED 1 x 4W 500lm (nominal) 2700K IP44

LIGHT SOURCE FOR USA AND CANADA

G9 1 x 4W Retrofit LED (max 1 x 40W Halogen Bulb)
 LED 1 x 7W 600lm (nominal) 3000K 

MARKING

Dry Location   Damp Location   

MATERIALS

Diffuser/*Diffusore*: Blown and Layered Glass/*Vetro Soffiato e Incamiciato*
 Structure/*Struttura*: Polycarbonate (G9 version), Anodized Aluminium (LED version)/*Polycarbonato (versione G9), Alluminio Anodizzato (versione LED)*

FINISHES (DIFFUSER + STRUCTURE)

Satin White + Grey
 Satin White + Brushed Brass (only LED version)
 Bianco Satinato + Grigio
 Bianco Satinato + Ottone Spazzolato (solo per versione LED)

CUBI P-PL 16

TYPE

Wall-Ceiling/*Parete-Soffitto*


ENVIRONMENT

Indoor/*Interno*


LIGHT SOURCE

G9 1 x 3W Retrofit LED IP20 (max 1 x 48W Halogen Bulb)
 LED 3 x 5,8W 1320lm (nominal) 3000K IP20
 LED 2 X 6W 1440lm (nominal) 2700K IP20
 LED 2 x 6W 1440lm (nominal) 2700K IP44

LIGHT SOURCE FOR USA AND CANADA

G9 1 x 4W Retrofit LED (max 1 x 60W Halogen Bulb)
 LED 1 x 13W 700lm (nominal) 3000K 

MARKING



Dry Location   Damp Location   

MATERIALS

Diffuser/*Diffusore*: Blown and Layered Glass/*Vetro Soffiato e Incamiciato*
 Structure/*Struttura*: Polycarbonate (G9 version), Anodized Aluminium (LED version)/*Polycarbonato (versione G9), Alluminio Anodizzato (versione LED)*

FINISHES (DIFFUSER + STRUCTURE)

Satin White + Grey
 Satin White + Brushed Brass (only LED version)
 Bianco Satinato + Grigio
 Bianco Satinato + Ottone Spazzolato (solo per versione LED)

CUBI P-PL 11**CUBI P-PL 16**



Cubi P-PL 28, Satin White + Grey Structure

Cubi P-PL 28, Bianco Satinato + Struttura Grigia

CUBI P-PL 28

TYPE

Wall-Ceiling/*Parete-Soffitto*

ENVIRONMENT

Indoor/*Interno*

LIGHT SOURCE

E14 4 x 5W Retrofit LED (max 4 x 30W Halogen Bulb)
LED 1 x 15W 1800lm (nominal) 3000K

LIGHT SOURCE FOR USA AND CANADA

E12 4 x 5W Retrofit LED (max 4 x 40W Halogen Bulb)
LED 1 x 12.5W 1600lm (nominal) 3000K

MARKING


Dry Location



MATERIALS

Diffuser/*Diffusore*: Blown and Layered Glass/*Vetro
Soffiato e Incamiciato*Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)

Satin White + Grey/*Bianco Satinato + Grigio***CUBI P-PL 28**

PARALUME

DESIGN BY LEUCOS DESIGN LAB, 1983



Paralume Mini T, Satin White + White Structure

Paralume Mini T, Bianco Satinato + Struttura Bianca

PARALUNE MINI T

TYPE
Table/*Tavolo*

ENVIRONMENT
Indoor/*Interno*


LIGHT SOURCE

E14 1 x 5W Retrofit LED (max 1 x 46W Halogen Bulb)
+
G9 1 x 3W Retrofit LED (max 1 x 20W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA

E12 1 x 5W Retrofit LED (max 1 x 46W Halogen Bulb)
+
G9 1 x 3W Retrofit LED (max 1 x 20W Halogen Bulb)

MARKING

Dry Location   

CONTROL

Double Light Switch/*Doppia Accensione*

MATERIALS

Diffuser/*Diffusore*: Blown and Layered Glass/*Vetro Soffiato e Incamiciato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)

Satin White + White/*Bianco Satinato + Bianco*

PARALUNE P (SMALL) T

TYPE
Table/*Tavolo*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE

E14 1 x 5W Retrofit LED (max 1 x 46W Halogen Bulb)
+
E14 1 x 5W Retrofit LED (max 1 x 30W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA

E12 1 x 5W Retrofit LED (max 1 x 46W Halogen Bulb)
+
E12 1 x 5W Retrofit LED (max 1 x 30W Halogen Bulb)

MARKING

Dry Location   

CONTROL



Double Light Switch/*Doppia Accensione*

MATERIALS

Diffuser/*Diffusore*: Blown and Layered Glass/*Vetro Soffiato e Incamiciato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)

Satin White + White/*Bianco Satinato + Bianco*

PARALUNE MINI T**PARALUNE P (SMALL) T**



Paralume P (Small), Paralume M (Medium), Paralume G (Big), Satin White + White Structure

Paralume P (Small), Paralume M (Medium), Paralume G (Big), Bianco Satinato + Struttura Bianca

PARALUNE M (MEDIUM) T

TYPE
Table/*Tavolo*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
E27 1 x 10W Retrofit LED (max 1 x 77W Halogen Bulb)
+
E27 1 x 10W Retrofit LED (max 1 x 46W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
E26 1 x 10W Retrofit LED (max 1 x 75W Halogen Bulb)
+
E26 1 x 10W Retrofit LED (max 1 x 60W Halogen Bulb)

MARKING
Dry Location   

CONTROL
Double Light Switch/*Doppia Accensione*

MATERIALS
Diffuser/*Diffusore*: Blown and Layered Glass/*Vetro Soffiato e Incamiciato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Satin White + White/*Bianco Satinato + Bianco*

PARALUNE G (BIG) T

TYPE
Table/*Tavolo*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
E27 1 x 10W Retrofit LED (max 1 x 77W Halogen Bulb)
+
E27 1 x 10W Retrofit LED (max 1 x 77W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
E26 1 x 10W Retrofit LED (max 1 x 75W Halogen Bulb)
+
E26 1 x 10W Retrofit LED (max 1 x 75W Halogen Bulb)


MARKING
Dry Location   

CONTROL
Double Light Switch/*Doppia Accensione*


MATERIALS
Diffuser/*Diffusore*: Blown and Layered Glass/*Vetro Soffiato e Incamiciato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Satin White + White/*Bianco Satinato + Bianco*

PARALUNE M (MEDIUM) T



PARALUNE G (BIG) T



SPHERA

DESIGN BY MATTEO THUN, 2000



Sphera T3/29, Sphera T3/37, Satin White + Chrome Structure

Sphera T3/29, Sphera T3/37, Bianco Satinato + Struttura Cromo

SPHERA T3/29 + SPHERA T3/37 + SPHERA T3/45

TYPE

Table/*Tavolo*

ENVIRONMENT

Indoor/*Interno*

LIGHT SOURCE

E27 1 x 15W Retrofit LED

(T3/29: max 1 X 100W Halogen Bulb)

(T3/37 - T3/45: max 1 X 150W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA

E26 1 x 15W Retrofit LED

(T3/29: max 1 X 100W Halogen Bulb)

(T3/37 - T3/45: max 1 X 150W Halogen Bulb)

MARKING

Dry location



CONTROL

On-off (T3/29), dimmer on cord (T3/37-T3/45)

On-off (T3/29), dimmer su cavo (T3/37-T3/45)

MATERIALS



Diffuser/*Diffusore*: Blown Glass/*Vetro Soffiato*Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)


Satin White + Chrome/*Bianco Satinato + Cromo*Satin White + Brushed Brass/*Bianco Satinato + Ottone Satinato*

SPHERA T3/29

SPHERA T3/37



SPHERA T3/45



GLÒ

DESIGN BY DANILO DE ROSSI, 2002



Glò S, Red Diffuser + Red "Splash"

Glò S, Diffusore Rosso + Macchia Rosso

GLÒ INCASSO I + GLÒ S + GLO S/I

TYPE
Pendant/Sospensione

ENVIRONMENT
Indoor/Interno

LIGHT SOURCE
GU10 1 x 7W Retrofit LED (max 1 x 50W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
(Only S version available)
LED 1 X 12W 650lm (nominal) 3000K


MARKING
Dry location 

MATERIALS
Diffuser/Diffusore: Blown Glass/Vetro Soffiato
Structure/Struttura: Metal/Metallo


FINISHES (DIFFUSER + STRUCTURE)
Shaded White + Chrome/Bianco Sfumato + Cromo
Red + Chrome/Rosso + Cromo
Acquamarine + Chrome/Acquamarina + Cromo

ON REQUEST
Custom Versions/Versioni Custom


GLÒ INCASSO I



GLÒ S



GLO S/I





Glò INCASSO I, Acquamarine Diffuser (-) - Red Diffuser (-)

Glò INCASSO I, Diffusore Acquamarina (-) - Diffusore Rosso (-)



Glò INCASSO I, Shaded White Diffuser + Transparent "Splash"

Glò INCASSO I, Diffusore Bianco Sfumato + Macchia Trasparente

ETHER

DESIGN BY PATRICK JOUIN, 2006



Ether S 90, Transparent Diffuser + Polished Steel Structure

Ether S 90, Diffusore Trasparente + Struttura Acciaio Lucido

ETHER S

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU10 5 x 7W Retrofit LED

LIGHT SOURCE FOR USA AND CANADA
GU10 5 x 7W Retrofit LED

MARKING
Dry Location    

MATERIALS
Diffuser/*Diffusore*: Borosilicate Blown Glass/*Vetro Borosilicato Soffiato*
Structure/*Struttura*: Polished Steel/*Acciaio Lucido*

FINISHES (DIFFUSER + STRUCTURE)
Transparent + Polished Steel
Trasparente + Acciaio Lucido

ON REQUEST
Custom Versions/*Versioni Custom*

ETHER S 90 + ETHER S 150

TYPE
Pendant/*Sospensione*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
G53 4 x 15W Retrofit LED
G53 4 x 15W Retrofit LED + GU5.3 1 X 8W LED RGB

LIGHT SOURCE FOR USA AND CANADA
G53 4 x 15W Retrofit LED
G53 4 x 15W Retrofit LED + GU5.3 1 X 8W LED RGB


MARKING
Dry Location    

MATERIALS
Diffuser/*Diffusore*: Borosilicate Blown Glass/*Vetro Borosilicato Soffiato*
Structure/*Struttura*: Polished Steel/*Acciaio Lucido*


FINISHES (DIFFUSER + STRUCTURE)
Transparent + Polished Steel
Trasparente + Acciaio Lucido

ON REQUEST
Custom Versions/*Versioni Custom*


ETHER S




ETHER S 90



ETHER S 150





Ether S, Transparent Diffuser (Detail)

Ether S, Diffusore Trasparente (Dettaglio)



Ether S 150, Transparent Diffuser + Polished Steel Structure

Ether S 150, Diffusore Trasparente + Struttura Acciaio Lucido



Ether (special version) - Van Cleef & Arpels - Paris, France - (Ph. Eric Laignel)



LILITH

DESIGN BY LEUCOS DESIGN LAB, 2005



LILITH S 55, Mocha Diffuser + Brushed Nichel Structure

LILITH S 55, Diffusore Moka + Struttura Nickel Spazzolato

LILITH S 40 + LILITH S 55 + LILITH S 70

TYPE

Pendant/Sospensione

ENVIRONMENT

Indoor/Interno

LIGHT SOURCE

LILITH S40: E14 3 x 5W Retrofit LED (max 3 x 46W Halogen Bulb)
 LILITH S55: E27 4 x 10W Retrofit LED (max 4 x 57W Halogen Bulb)
 LILITH S70: E27 6 x 10W Retrofit LED (max 6 x 57W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA

LILITH S40: E12 3 x 5W Retrofit LED (max 3 x 60W Halogen Bulb)
 LILITH S55: E26 4 x 10W Retrofit LED (max 4 x 75W Halogen Bulb)
 LILITH S70: E26 6 x 10W Retrofit LED (max 6 x 75W Halogen Bulb)

MARKING

Dry location



Diffuser/Diffusore: Cotton Thread/Filo di cotone

Structure/Struttura: Metal/Metallo


FINISHES (DIFFUSER + STRUCTURE)

White + Brushed Nickel/Bianco + Nickel Spazzolato


Silver + Brushed Nickel/Argento + Nickel Spazzolato

Mocha + Brushed Nickel/Moka + Nickel Spazzolato


LILITH S 40



LILITH S 55



LILITH S 70





Lilith PL 70, Mocha

Lilith PL 70, Moka

LILITH PL 40 + LILITH PL 55 + LILITH PL 70

TYPE

Ceiling/Soffitto

ENVIRONMENT

Indoor/Interno

LIGHT SOURCE

LILITH PL40: E14 3 x 5W Retrofit LED(max 3 x 30W Halogen Bulb)

LILITH PL55: E27 4 x 10W Retrofit LED (max 4 x 30W Halogen Bulb)

LILITH PL70: E27 6 x 10W Retrofit LED (max 6 x 30W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA

LILITH PL40: E12 3 x 5W Retrofit LED (max 3 x 40W Halogen Bulb)

LILITH PL55: E26 4 x 10W Retrofit LED (max 4 x 40W Halogen Bulb)

LILITH PL70: E26 6 x 10W Retrofit LED (max 6 x 40W Halogen Bulb)

MARKING

Dry location



MATERIALS

Diffuser/Diffusore: Cotton Thread/Filo di cotone




Structure/Struttura: Metal/Metallo

FINISHES (DIFFUSER + STRUCTURE)

White + White/Bianco + Bianco

Silver + White/Argento + Bianco

Mocha + White/Moka + Bianco

LILITH PL 40**LILITH PL 55****LILITH PL 70**

PASCALÉ

DESIGN BY LEUCOS DESIGN LAB, 2005



Pascale PL 30, Crystal + Chrome Structure

Pascale PL 30, Cristallo + Struttura Cromo

PASCALE P

TYPE
Wall/*Parete*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
G9 2 x 3W Retrofit LED (max 2 X 33W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
2 x 3W Retrofit LED (max 2 X 25W Halogen Bulb)

MARKING
Dry Location 

MATERIALS
Diffuser/*Diffusore*: Pressed Cast Glass/*Vetro Colato Pressato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Crystal + Chrome/*Cristallo + Cromo*

PASCALE PL 30 + PASCALE PL 40

TYPE
Ceiling/*Soffitto*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
PASCALE PL 30:
G9 3 x 3W Retrofit LED (max 3 x 33W Halogen Bulb)
PASCALE PL 40:
E14 3 X 5W Retrofit LED (max 3 x 46W Halogen Bulb)


LIGHT SOURCE FOR USA AND CANADA
PASCALE PL 30:
G9 3 x 3W Retrofit LED (max 3 x 25W Halogen Bulb)
PASCALE PL 40:
E12 2 x 5W Retrofit LED (max 2 x 60W Halogen Bulb)

MARKING
Dry Location 


MATERIALS
Diffuser/*Diffusore*: Pressed Cast Glass/*Vetro Colato Pressato*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Crystal + Chrome/*Cristallo + Cromo*


PASCLAE P




PASCLAE PL 30



PASCLAE PL 40





Pascale P, Crystal + Chrome Structure

Pascale P, Cristallo + Struttura Cromo

BOHEME

DESIGN BY ORIANO FAVARETTO, 2015



Boheme L 8, Transparent + Chrome Structure

Boheme L 8, Trasparente + Struttura Cromo

BOHEME L 8 + BOHEME L 12

TYPE

Sospensione/Pendant

ENVIRONMENT

Indoor/Interno

LIGHT SOURCE

BOHEME L8: E14 8 x 5W Retrofit LED
(max 8 x 46W Halogen Bulb)BOHEME L12: E14 12 x 5W Retrofit LED
(max 12 x 46W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA

BOHEME L8: E12 8 x 5W Retrofit LED
(max 8 x 60W Halogen Bulb)BOHEME L12: E12 12 x 5W Retrofit LED
(max 12 x 60W Halogen Bulb)

MARKING

Dry location



MATERIALS



Diffuser/Diffusore: Blown Glass/Vetro Soffiato

Structure/Struttura: Metal/Metallo

FINISHES (DIFFUSER + STRUCTURE)

Transparent + Chrome/Trasparente + Cromo

Smoke Grey + Chrome/Fumè + Cromo

BOHEME L 8**BOHEME L 12**



Boheme L 12, Transparent + Chrome Structure

Boheme L 12, Trasparente + Struttura Cromo



Bohème L 12, Smoke Grey + Chrome Structure

Bohème L 12, Fumè + Struttura Cromo

RECESSED

INCASSO







VAN 2 I design by Roberto Pamio, 1991

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)
GU10 1 x max 50W Halogen Bulb

LIGHT SOURCE FOR USA AND CANADA
HOUSING:chicago plenum - insulated
- new construction - remodel
1X35W lo-voltage Halogen, MR-16
LED 1 X 16W 2700K - 3000K -3500K - 4000K 1500lm
LED 1 X 23W 2700K - 3000K -3500K - 4000K 2000lm

MARKING
GU5,3: Dry Location   
GU10: Dry Location   

MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Crystal + Chrome/*Cristallo + Cromo*
Satin White + Chrome/*Bianco Satinato + Cromo*

ACCESSORIES
Electronic Transformer 12V (GU5,3 version)/
Trasformatore Elettorico 12V (versione GU5,3)
5-70W halogen lamp / 2,5-50W LED lamp







SUN I design by Toso, Massari & Associates 1998

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)
GU10 1 x max 50W Halogen Bulb

LIGHT SOURCE FOR USA AND CANADA
HOUSING: chicago plenum - insulated
- new construction - remodel
1 X 35W lo-voltage Halogen, MR-16
LED 1X 16W 2700K - 3000K - 3500K - 4000K 1500lm
LED 1X 23W 2700K - 3000K - 3500K - 4000K 2000lm

MARKING
GU5,3: Dry Location   
GU10: Dry Location   

MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*





FINISHES (DIFFUSER + STRUCTURE)
Crystal + Chrome/*Cristallo + Cromo*
Satin White + Chrome/*Bianco Satinato + Cromo*

ACCESSORIES
Electronic Transformer 12V (GU5,3 version)/
Trasformatore Elettorico 12V (versione GU5,3)
5-70W halogen lamp / 2,5-50W LED lamp



VAN 2 I

SUN I









ISIDE 2 I design by Roberto Pamio, 1991

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)
GU10 1 x max 50W Halogen Bulb

LIGHT SOURCE FOR USA AND CANADA
HOUSING: chicago plenum - insulated
- new construction - remodel
1 X 35W lo-voltage Halogen, MR-16
LED 1X 16W 2700K - 3000K - 3500K - 4000K 1500lm
LED 1X 23W 2700K - 3000K - 3500K - 4000K 2000lm

MARKING
GU5,3: Dry Location   
GU10: Dry Location   

MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Crystal + Chrome/*Cristallo + Cromo*
Satin White + Chrome/*Bianco Satinato + Cromo*

ACCESSORIES
Electronic Transformer 12V (GU5,3 version)/
Trasformatore Elettorico 12V (versione GU5,3)
5-70W halogen lamp / 2,5-50W LED lamp







MIRA 2 I design by Roberto Pamio, 1991

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)
GU10 1 x max 50W Halogen Bulb

LIGHT SOURCE FOR USA AND CANADA
HOUSING: chicago plenum - insulated
- new construction - remodel
1 X 35W lo-voltage Halogen, MR-16
LED 1X 16W 2700K - 3000K - 3500K - 4000K 1500lm
LED 1X 23W 2700K - 3000K - 3500K - 4000K 2000lm

MARKING
GU5,3: Dry Location   
GU10: Dry Location   

MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*





FINISHES (DIFFUSER + STRUCTURE)
Crystal + Chrome/*Cristallo + Cromo*
Satin White + Chrome/*Bianco Satinato + Cromo*

ACCESSORIES
Electronic Transformer 12V (GU5,3 version)/
Trasformatore Elettorico 12V (versione GU5,3)
5-70W halogen lamp / 2,5-50W LED lamp



ISIDE 2 I

MIRA 2 I




PEGASO I design by Orietta Indovino, 2000

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
Not Available/*Non Disponibile*

MARKING
Dry Location   

MATERIALS
Diffuser/*Diffusore*: Curved Cast Glass Pressed with "Fracco"/*Vetro Curvato e Pressato con Decoro "Fracco"*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Transparent Graniglia + White/*Trasparente Graniglia + Bianco*
Amber Graniglia + White/*Ambra Graniglia + Bianco*

ACCESSORIES
Electronic Transformer 12V/
Trasformatore Elettorico 12V
5-70W halogen lamp / 2,5-50W LED lamp

SIDERAL I design by Mauro Marzollo, 2001

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
Not Available/*Non Disponibile*

MARKING
Dry Location   


MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Crystal + White/*Cristallo + Bianco*


ACCESSORIES
Electronic Transformer 12V/
Trasformatore Elettorico 12V
5-70W halogen lamp / 2,5-50W LED lamp



PEGASO I



SIDERAL I






DROP design by Tosso, Massari & Associates 1998




TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)
GU10 1 x max 50W Halogen Bulb

LIGHT SOURCE FOR USA AND CANADA
HOUSING: chicago plenum - insulated
- new construction - remodel
1 X 35W lo-voltage Halogen, MR-16
LED 1X 16W 2700K - 3000K - 3500K - 4000K 1500lm
LED 1X 23W 2700K - 3000K - 3500K - 4000K 2000lm


MARKING
GU5,3: Dry Location   

GU10: Dry Location   


MATERIALS
Diffuser/*Diffusore*: Glass/*Vetro*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
Crystal + Chrome/*Cristallo + Cromo*
Satin White + Chrome/*Bianco Satinato + Cromo*

ACCESSORIES
Electronic Transformer 12V (GU5,3 version)/
Trasformatore Elettorico 12V (versione GU5,3)
5-70W halogen lamp / 2,5-50W LED lamp



DROP I



SD 802 I design by Leucos Design Lab, 2004

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
Not Available/*Non Disponibile*

MARKING
Dry Location   

MATERIALS
Diffuser/*Diffusore*: Metal/*Metallo*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
White + Brushed Aluminium/
Bianco + Alluminio Anodizzato

Brushed Aluminium + Brushed Aluminium/
Alluminio Anodizzato + Alluminio Anodizzato

ACCESSORIES
Concrete form/*Cassaforma*
Wiring kit GZ10/*Kit Cablaggio GZ10*
Electronic Transformer 12V/*Trasformatore Elettorico*
12V (5-70W halogen lamp / 2,5-50W LED lamp)

SD 803 I design by Leucos Design Lab, 2004

TYPE
Recessed/*Incasso*

ENVIRONMENT
Indoor/*Interno*

LIGHT SOURCE
GU5,3 1x8W Retrofit LED (max 1 x 50W Halogen Bulb)

LIGHT SOURCE FOR USA AND CANADA
Not Available/*Non Disponibile*

MARKING
Dry Location   

MATERIALS
Diffuser/*Diffusore*: Metal/*Metallo*
Structure/*Struttura*: Metal/*Metallo*

FINISHES (DIFFUSER + STRUCTURE)
White + Brushed Aluminium/
Bianco + Alluminio Anodizzato



Brushed Aluminium + Brushed Aluminium/
Alluminio Anodizzato + Alluminio Anodizzato

ACCESSORIES
Concrete form/*Cassaforma*
Wiring kit GZ10/*Kit Cablaggio GZ10*
Electronic Transformer 12V/*Trasformatore Elettorico*
12V (5-70W halogen lamp / 2,5-50W LED lamp)



SD 802 I

SD 803 I





Ego, Leucos archive

Ego, archivio Leucos