

mAntra

Aussen

mAntra






Apliques exterior

Outdoor wall lights





REFERENCE	K	LED WATT	LUMENS	FINISH
8152	3000K	6W	550lm	Blanco-White
8153	3000K	6W	550lm	Gris Oscuro-Dark grey
8154	3000K	6W	550lm	Negro-Black
220-240V~ 50/60Hz CRI ≥80				Aluminio-Aluminium





REFERENCE	K	LED WATT	LUMENS	FINISH
7990	3000K	20W	1900lm	Blanco-White
7991	3000K	20W	1900lm	Gris Oscuro-Dark grey
7992	3000K	20W	1900lm	Negro-Black
7993	3000K	20W	1900lm	Corten-Corten
7994	3000K	24W	2300lm	Blanco-White
7995	3000K	24W	2300lm	Gris Oscuro-Dark grey
7996	3000K	24W	2300lm	Negro-Black
7997	3000K	24W	2300lm	Corten-Corten
220-240V - 50/60Hz CRI ≥80				Aluminio-Aluminium






REFERENCE	BULB (No incl)	FINISH
7929	2L x GU10	Gris Oscuro/madera-Dark Grey/wood
máx. 10W LED (No incl)	100-240V~ 50/60Hz	Aluminio/Cristal/Madera-Aluminium/Glass/SPC Wood



REFERENCE	BULB NO INCLUDED	FINISH
7928	1L x E27	Gris Oscuro/madera-Dark Grey/wood
máx. 15W LED (No incl)	100-240V~ 50/60Hz	Aluminio/PC/Madera-Aluminium/Opal PC/SPC Wood






REFERENCE	K	LED WATT	LUMENS	FINISH
6540	3000K	6W	620lm	Gris oscuro-Dark grey
6541	3000K	6W	620lm	Arena blanco-Sand white
7813	3000K	8W	830lm	Gris oscuro-Dark grey
7814	3000K	8W	830lm	Arena blanco-Sand white
		220-240V ~ 50/60Hz	Aluminio cristal-Aluminium glass	






REFERENCE	BULB NO INCLUDED	FINISH
7133	1L x E27	Beige oscuro-Dark beige
	máx. 20W LED (No incl)	100-240V~ 50/60Hz
Aluminio/fibra textil sintética-Aluminium/synthetic textile fibre		



7131
pág. 430



IP44

MAYA

by José Ignacio Ballester

Appliques exterior-Outdoor wall lights

Outdoor

OAMI 005818614-0005



REFERENCE	BULB NO INCLUDED	FINISH
6551	1L x E27	Gris oscuro-Dark grey
6552	1L x E27	Gris oscuro-Dark grey
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass






6550 pág. 460 6555 pág. 438 6553 pág. 416






REFERENCE	K	LED WATT	LUMENS	FINISH	SENSOR	IP
6774	3000K	15W	1120lm	Gris Oscuro/Madera-Dark Grey/Wood	*	54
6770	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood		65
				Aluminio/PC-Aluminium/PC		




6771
pág. 464







6495



6494



REFERENCE	BULB NO INCLUDED	FINISH
6495	1L x E27	Grafito-Graphite
6494	1L x E27	Grafito-Graphite
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass




7086 pág. 394 7085 pág. 456 6490 pág. 458




6495




6492



6493



REFERENCE	BULB NO INCLUDED	FINISH
6492	2L x E27	Grafito-Graphite
6493	2L x E27	Grafito-Graphite
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



TEJA


by Santolaria & Lluscà

Outdoor



OAMI 005818614-0007

REFERENCE	BULB NO INCLUDED	FINISH
6508	1L x E27	Blanco-White
	máx. 20W LED (No incl)	100-240V ~ 50/60Hz Polietileno-Polyethylene





VOLCANO

Apliques exterior-Outdoor wall lights

Outdoor

IP65



REFERENCE	BULB NO INCLUDED	FINISH
6482	2L x E27	Grafito-Graphite
6483	1L x E27	Grafito-Graphite
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



7908
pág. 414



IGUAZÚ


by José Ignacio Ballester

Apliques exterior-Outdoor wall lights


Outdoor





REFERENCE	BULB (No incl)	FINISH
6558	1L x GX53	Gris oscuro-Dark grey
6559	1L x GX53	Blanco-White
OAMI 005818614-0003	máx. 10W LED (No incl)	100-240V ~50/60Hz Aluminio-Aluminium



OAMI 005818614-0003




Bombillas recomendadas-Suggested bulbs

REFERENCE	Wattios LED	CCT	Lumens	Ángulo luz
 R09224	9W	3000K	730lm	120°
 R09225	9W	4000K	740lm	120°




Luz orientable-Orientable light





REFERENCE	BULB (No incl)	FINISH
6769	2L x GX53	Gris oscuro-Dark grey
6768	2L x GX53	Blanco-White
máx. 10W LED (No incl)		100-240V~50/60Hz Aluminio-Aluminium



Bombillas recomendadas-Suggested bulbs

REFERENCE	Wattios LED	CCT	Lumens	Ángulo luz
R09224	9W	3000K	730lm	120°
R09225	9W	4000K	740lm	120°



KANDANCHÚ

Apliques exterior-Outdoor wall lights

Outdoor




REFERENCE	BULB (No incl)	FINISH
6510	2L x GU10	Gris oscuro-Dark grey
6511	2L x GU10	Blanco-White
7037	2L x GU10	Negro-Black
7470	2L x GU10	Corten-Corten
6514	2L x GU10	Gris oscuro-Dark grey
6515	2L x GU10	Blanco-White
7038	2L x GU10	Negro-Black
7471	2L x GU10	Corten-Corten
máx. 10W LED (No incl)		100-240V~50/60Hz Aluminio/Cristal-Aluminium/Glass







Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Dimmable	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm







REFERENCE	BULB (No incl)	FINISH
6512	1L x GU10	Gris oscuro-Dark grey
6513	1L x GU10	Blanco-White
7039	1L x GU10	Negro-Black
7472	1L x GU10	Corten-Corten
6516	1L x GU10	Gris oscuro-Dark grey
6517	1L x GU10	Blanco-White
7040	1L x GU10	Negro-Black
7473	1L x GU10	Corten-Corten
máx. 10W LED (No incl)		100-240V - 50/60Hz Aluminio/Cristal-Aluminium/Glass














Outdoor

REFERENCE	K	LED WATT	LUMENS	FINISH	IP	DAVOS
New 8589	2700K	12W	1100lm	Gris oscuro-Dark grey	54	Dimmable
New 8600	2700K	12W	1100lm	Blanco arena-Sand white	54	Dimmable
New 8601	2700K	12W	1100lm	Negro arena-Sand black	54	Dimmable
New 8602	2700K	12W	1100lm	Corten-Corten	54	Dimmable
6520	3000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
6521	3000K	12W	1100lm	Blanco arena-Sand white	54	On-off
6524	3000K	12W	1100lm	Negro arena-Sand black	54	On-off
6527	3000K	12W	1100lm	Corten-Corten	54	On-off
7647	4000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
7648	4000K	12W	1100lm	Blanco arena-Sand white	54	On-off
7649	4000K	12W	1100lm	Negro arena-Sand black	54	On-off
7650	4000K	12W	1100lm	Corten-Corten	54	On-off
DAVOS						
New 8604	2700K	12W	1100lm	Negro arena-Sand black	54	Dimmable
New 8603	2700K	12W	1100lm	Blanco arena-Sand white	54	Dimmable
6522	3000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
6523	3000K	12W	1100lm	Blanco arena-Sand white	54	On-off
7645	4000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
7646	4000K	12W <td 1100lm	Blanco arena-Sand white	54	On-off	
DAVOS XL						
New 8609	2700K	20W	1830lm	Gris oscuro-Dark grey	65	Dimmable
New 8610	2700K	20W	1830lm	Blanco arena-Sand white	65	Dimmable
New 8611	2700K	20W	1830lm	Negro arena-Sand black	65	Dimmable
New 8612	2700K	20W	1830lm	Corten-Corten	65	Dimmable
7435	3000K	20W	1830lm	Gris oscuro-Dark grey	65	On-off
7436	3000K	20W	1830lm	Blanco arena-Sand white	65	On-off
7437	3000K	20W	1830lm	Negro arena-Sand black	65	On-off
7438	3000K	20W	1830lm	Corten-Corten	65	On-off
7651	4000K	20W	1830lm	Gris oscuro-Dark grey	65	On-off
7652	4000K	20W	1830lm	Blanco arena-Sand white	65	On-off
7653	4000K	20W	1830lm	Negro arena-Sand black	65	On-off
7654	4000K	20W	1830lm	Corten-Corten	65	On-off
DAVOS DOUBLE						
New 8605	2700K	24W	2200lm	Gris oscuro-Dark grey	54	Dimmable
New 8606	2700K	24W	2200lm	Blanco arena-Sand white	54	Dimmable
New 8607	2700K	24W	2200lm	Negro arena-Sand black	54	Dimmable
New 8608	2700K	24W	2200lm	Corten-Corten	54	Dimmable
7815	3000K	24W	2200lm	Gris oscuro-Dark grey	54	On-off
7816	3000K	24W	2200lm	Blanco arena-Sand white	54	On-off
7817	3000K	24W	2200lm	Negro arena-Sand black	54	On-off
7818	3000K	24W	2200lm	Corten-Corten	54	On-off
7819	4000K	24W	2200lm	Gris oscuro-Dark grey	54	On-off
7820	4000K	24W	2200lm	Blanco arena-Sand white	54	On-off
7821	4000K	24W	2200lm	Negro arena-Sand black	54	On-off
7822	4000K	24W	2200lm	Corten-Corten	54	On-off
220-240V~ 50/60Hz				Aluminio-Aluminium		




DAVOS


DAVOS XL




DAVOS DOUBLE





REFERENCE	K	LED WATT	LUMENS	FINISH
6525	3000K	8W	750m	Gris oscuro-Dark grey
6526	3000K	8W	750m	Blanco arena-Sand white
220-240V ~ 50/60Hz CRI ≥80				Aluminio-Aluminium





REFERENCE	K	LED WATT	LUMENS	FINISH
6530	3000K	6W	660lm	Gris oscuro-Dark grey
6531	3000K	6W	660lm	Blanco arena-Sand white
220-240V~ 5 0/60Hz CRI ≥80				Aluminio-Aluminium







REFERENCE	K	LED WATT	LUMENS	FINISH	
6534	3000K	9.6W	720lm	Gris oscuro-Dark grey	ø 150
6535	3000K	9.6W	720lm	Blanco-White	ø 150
6538	3000K	9.6W	720lm	Corten-Corten	ø 150
6536	3000K	9.6W	720lm	Gris oscuro-Dark grey	150 x 150
6537	3000K	9.6W	720lm	Blanco-White	150 x 150
6539	3000K	9.6W	720lm	Corten-Corten	150 x 150
				Aluminio-Aluminium	

220-240V~ 50/60Hz





REFERENCE	BULB NO INCLUDED	FINISH
7050	1L x E27	Gris Oscuro-Dark Grey
7051	1L x E27	Blanco-White
7052	1L x E27	Corten-Corten
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio-Aluminium



REFERENCE	BULBS NOT INCLUDED	FINISH
New 8352	1L x E27	Gris Oscuro-Dark Grey
New 8353	1L x E27	Blanco-White
New 8354	1L x E27	Corten-Corten
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio-Aluminium



8379
pág. 418





Outdoor



IP54



PIR sensor
A:120°
D:≤6m





Charge: 6-8h (Sunshine)
Work time: Full light 3h / Micro light 25h




6495 pág. 364 7085 pág. 456 6490 pág. 458

REFERENCE	K	LED WATT	LUMENS	FINISH
7086	3000K	2,2W	188lm	Grafito-Graphite
DC 3.7V CRI≥ 80				Aluminio-Aluminium





REFERENCE	K	LED WATT	LUMENS	FINISH
7072	3000K	9W	762lm	Gris oscuro-Dark grey
7073	3000K	9W	762lm	Blanco-White
		100-240V~ 50/60Hz CRI≥ 80		Aluminio/PC-Aluminium/PC



REFERENCE	K	LED WATT	LUMENS	FINISH
7070	3000K	9W	773lm	Gris oscuro-Dark grey
7071	3000K	9W	773lm	Blanco-White
		100-240V~ 50/60Hz CRI≥ 80		Aluminio/PC-Aluminium/PC





8471




8470



8473





8472



350°



REFERENCE	CCT switch	LED WATT	LUMENS	FINISH	SENSOR
8470	3000K	20W	1700lm	Blanco-White	No
8471	3000K	20W	1700lm	Negro-Black	No
8472	3000K	20W	1700lm	Blanco-White	Yes
8473	3000K	20W	1700lm	Negro-Black	Yes
				220-240V~ 50/60Hz CRI:≥ 80	Aluminio-Aluminium



- Only Night
- Day & Night
- 30 Seconds
- 3 Minutes
- LUX
- Time

- 120°
- LED life / LED vida
30,000 h
- ON / OFF
30,000
- 5 años
WARRANTY
GARANTIA
LED
- LED
INCLUDED
-
- IP54

COOPER

New

Apliques exterior-Outdoor wall lights

Outdoor



8474





8475






8476



8477





REFERENCE	CCT switch	LED WATT	LUMENS	FINISH	SENSOR
8474	3000K	20W	1700lm	Blanco-White	No
8475	3000K	20W	1700lm	Negro-Black	No
8476	3000K	20W	1700lm	Blanco-White	Yes
8477	3000K	20W	1700lm	Negro-Black	Yes
				220-240V~ 50/60Hz CRI:≥ 80	Aluminio-Aluminium





LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





REFERENCE	K	LED WATT	LUMENS	FINISH
7062	3000K	9W	725lm	Gris oscuro-Dark grey
7063	3000K	9W	725lm	Blanco-White
		220-240V~ 50/60Hz CRI≥ 80		Aluminio/PC-Aluminium/PC





7060
pág. 422



IP65





DRIVER
TUV





REFERENCE	K	LED WATT	LUMENS	FINISH
7108	3000K	12W	1100lm	Gris Piedra-Stone Grey
7109	3000K	12W	1100lm	Blanco-White
		220-240V~ 50/60Hz	Cemento liso-Smooth cement	



7107
pág. 482





REFERENCE	BULB NO INCLUDED	FINISH
7182	2L x GU10	Blanco-White
7183	2L x GU10	Gris oscuro-Dark grey
máx. 12W LED (No incl)		100-240V~ 50/60Hz Hormigón-Concrete



7187
pág. 426

REFERENCE	BULB NO INCLUDED	FINISH
7180	2L x GU10	Blanco-White
7181	2L x GU10	Gris oscuro-Dark grey
máx. 12W LED (No incl)		100-240V~ 50/60Hz Hormigón-Concrete



Plafón exterior

Outdoor ceiling lamp

KANDANCHÚ


Plafón exterior-Outdoor ceiling lamp

Outdoor


Plafón exterior-Ceiling lamp outdoor



REFERENCE	BULB NO INCLUDED	FINISH
7900	GU10	Blanco-White
7901	GU10	Gris oscuro-Dark grey
7902	GU10	Negro-Black
7903	GU10	Corten-Corten
1x GU10 máx.10W		100-240V- 50/60Hz Aluminio/Cristal-Aluminium/Glass




REFERENCE	BULB NO INCLUDED	FINISH
7904	GU10	Blanco-White
7905	GU10	Gris oscuro-Dark grey
7906	GU10	Negro-Black
7907	GU10	Corten-Corten
1x GU10 máx.10W		100-240V- 50/60Hz Aluminio/Cristal-Aluminium/Glass



Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Dimmable	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm





REFERENCE	BULB NO INCLUDED	FINISH
7908	E27	Gris Oscuro-Dark Grey
	1x E27 máx.20W	100-240V - 50/60Hz Aluminio/Cristal-Aluminium/Glass



6483
pág. 370

Bombillas recomendadas-Suggested bulbs

REFERENCE	Wattios LED	CCT	Lumens	Ángulo luz
R09133	10W	3000K	1050lm	320°
R09215	10W	4000K	1080lm	320°
R09134	10W	5000K	1100lm	320°
R09139	14W	3000K	1460lm	240°
R09140	14W	4000K	1510lm	240°



MAYA


by José Ignacio Ballester

Plafón exterior-Outdoor ceiling lamp


Outdoor



6553



6554




REFERENCE	BULB NO INCLUDED	FINISH
6553	1L x E27	Gris oscuro-Dark grey
6554	1L x E27	Gris oscuro-Dark grey
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass




6550 pág. 460 6555 pág. 438 6551 pág. 360





8379 7051
pág. 392 pág. 392

REFERENCE	BULBS NOT INCLUDED	FINISH
8378	2L x E27	Gris Oscuro-Dark Grey
8379	2L x E27	Blanco-White
8380	2L x E27	Corten-Corten
máx. 20W LED (No incl)		100-240V ~ 50/60Hz Aluminio-Aluminium






7065




7066



REFERENCE	BULB NO INCLUDED	FINISH
7065	2L x E27	Gris oscuro-Dark grey
7066	2L x E27	Gris oscuro-Dark grey
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass








REFERENCE	K	LED WATT	LUMENS	FINISH
7060	3000K	9W	725lm	Gris oscuro-Dark grey
7061	3000K	9W	725lm	Blanco-White
		220-240V~ 50/60Hz	Aluminio/PC-Aluminium/PC	




7062
pág. 404





REFERENCE	K	LED WATT	LUMENS	FINISH
7055	3000K	14W	1180lm	Gris oscuro-Dark grey
7056	3000K	14W	1180lm	Blanco-White
		100-240V~ 50/60Hz CRI≥ 80		Aluminio/Cristal-Aluminium/Glass






REFERENCE	BULB NO INCLUDED	FINISH
7184	1L x GU10	Blanco-White
7185	1L x GU10	Gris oscuro-Dark grey
máx. 12W LED (No incl)		100-240V~ 50/60Hz Hormigón-Concrete



7181
pág. 409



7183
pág. 408



REFERENCE	BULB NO INCLUDED	FINISH
7186	1L x GU10	Blanco-White
7187	1L x GU10	Gris oscuro-Dark grey
máx. 12W LED (No incl)		100-240V~ 50/60Hz Hormigón-Concrete



Colgantes exterior

Outdoor single pendants

POLINESIA
By Santiago Sevillano



7133
pág. 358


IP44



REFERENCE	BULB NO INCLUDED	FINISH
7131	1L x E27	Beige oscuro-Dark beige
máx. 20W LED (No incl) 100-240V~ 50/60Hz Aluminio/fibra textil sintética-Aluminium/synthetic textile fibre		



POLINESIA
By Santiago Sevillano





IP44

REFERENCE	BULB NOT INCLUDED	FINISH
7130	1L x E27	Beige oscuro-Dark beige
máx. 20W LED (No incl) 100-240V~ 50/60Hz Aluminio/fibra textil sintética-Aluminium/synthetic textile fibre		









REFERENCE	BULB NO INCLUDED	FINISH
6212	1L x E27	Blanco/Gris antracita-White/Gray Anthracite
	máx. 20W LED (No incl)	100-240V ~ 50/60Hz ABS/PE/Aluminium



REFERENCE	BULB NO INCLUDED	FINISH
6211	1L x E27	Blanco/Gris antracita-White/Gray Anthracite
	máx. 20W LED (No incl)	100-240V ~ 50/60Hz ABS/PE/Aluminium

OAMI 004721413-023/024/025





REFERENCE	BULB NO INCLUDED	FINISH
6213	1L x E27	Blanco/Gris antracita-White/Gray Anthracite
	máx. 20W LED (No incl)	100-240V~ 50/60Hz ABS/PE/Aluminium



REFERENCE	FINISH	
6215	Peana-Base	Gris antracita/Gray Anthracite
6214	Gancho-Hook	Gris antracita/Gray Anthracite
6218	Peana-Base	Acero Inoxidable-Base mármol negro Stainless Steel-Black marble base

OAMI 004721413-023/024/025




6213+6215

MAYA

by José Ignacio Ballester

Colgantes exterior-Outdoor pendant lamp



6553 pág. 416 6550 pág. 460 6551 pág. 360

REFERENCE	BULB NO INCLUDED	FINISH
6555	1L x E27	Gris oscuro-Dark grey
	máx. 20W LED (No incl)	100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



IP54

OAMI 005818614-0006

MAYA








IP44



REFERENCE	BULB NO INCLUDED	FINISH	
1397	1L x E27	Blanco-White	ø350
1398	1L x E27	Blanco-White	ø400
1399	1L x E27	Blanco-White	ø500

máx. 20W LED (No incl) PE / ABS / Aluminio-PE / ABS / Aluminium




1388
pág. 478




Sobremesa exterior
Outdoor table Lamp



REFERENCE	K	LED WATT	LUMENS	FINISH
7930	3000K	2W	180lm	Blanco-White
7931	3000K	2W	180lm	Negro-Black
7932	3000K	2W	180lm	Corten-Corten
		DC 5V / 1A	Aluminio-Aluminium	




Included






REFERENCE	K	LED WATT	LUMENS	FINISH
7933	3000K	2W	180lm	Blanco-White
7934	3000K	2W	180lm	Negro-Black
7935	3000K	2W	180lm	Corten-Corten
		DC 5V / 1A	Aluminio-Aluminium	



Included





REFERENCE	K	LED WATT	LUMENS	FINISH
7988	3000K	2W	230lm	Blanco-White
7989	3000K	2W	230lm	Negro-Black
		DC 5V/1A CRI≥ 80	Aluminio/PC-Aluminum/PC	





REFERENCE	K	LED WATT	LUMENS	FINISH
7985	3000K	2W	180lm	Blanco-White
7986	3000K	2W	180lm	Negro-Black
7987	3000K	2W	180lm	Corten-Corten
			DC 5V/1A CRI≥ 80	Aluminio-Aluminum




FLAME

by Santiago Sevillano Studio

Lámpara de suelo-Floor lamp

Outdoor




REFERENCE	BULB NO INCLUDED	FINISH
1326	1L x E27	Blanco-White
	máx. 20W LED (No incl)	100-240V ~ 50/60Hz PE/ABS-PE/ABS

Complementos Exterior-Outdoor Complements

Piqueta-Spike 210 mm	Piqueta-Spike 160 mm	Base-Ground base ø50
TU0652	TU0492	TU0494



1400
pág. 480



FLAME




Sobremuro exterior


Outdoor over wall




PIR sensor
A:120°
D:≤6m




Charge: 6-8h (Sunshine)
Work time : Full light 3h / Micro light 25h




7086 pág. 394
6495 pág. 364




Included




Included



REFERENCE	K	LED WATT	LUMENS	FINISH
7085	3000K	3,5W	300lm	Grafito-Graphite
		DC 3.7V	CRi ≥ 80	Aluminio-Aluminum



IP54



REFERENCE	BULB NO INCLUDED	FINISH
6490	1L x E27	Grafito-Graphite
	máx. 20W LED (No incl)	100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



MAYA


by José Ignacio Ballester

Sobremuro exterior-Pedestal lamp

Outdoor

OAMI 005818614-0004

IP54



REFERENCE	BULB NO INCLUDED	FINISH
6550	1L x E27	Gris oscuro-Dark grey
	máx. 20W LED (No incl)	100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



6553
pág. 416

6555
pág. 438

6551
pág. 360



Lámparas de suelo

Outdoor ground lamps




REFERENCE	K	LED WATT	LUMENS	FINISH	HEIGHT
6771	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood	350
6772	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood	600
6773	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood	1000
				Aluminio/PC-Aluminium/PC	

100-240V~ 50/60Hz CRI:≥ 80





6770
pág. 362






Charge: 6-8h (Sunshine)
Work time : Full light 3h / Micro light 25h



REFERENCE	K	LED WATT	LUMENS	FINISH
7088	3000K	2,2W	188lm	Grafito-Graphite
		DC 3.7V CRI≥ 80		Aluminio-Aluminium






7045
pág. 402


REFERENCE	K	LED WATT	LUMENS	FINISH
8151	3000K	12W	1020lm	Gris oscuro-Dark grey
		220-240V~ 50/60Hz CRI:≥ 80	Aluminio/PC-Aluminium/PC	





REFERENCE	BULB NO INCLUDED	FINISH
8108	1L x E27	Gris Oscuro-Dark grey
8109	1L x E27	Gris Oscuro-Dark grey
máx. 20W LED (No incl)		100-240V - 50/60Hz Aluminium/PC-Aluminium/PC





REFERENCE	K	LED WATT	LUMENS	FINISH
New 8478	3000K	7W	740lm	Negro-Black
New 8479	3000K	7W	740lm	Corten-Corten
220-240V ~ 50/60Hz CRI:≥ 80				Aluminio-Aluminium






REFERENCE	K	LED WATT	LUMENS	SIZE	FINISH
8480	3000K	12W	880lm	600 mm	Negro-Black
8481	3000K	12W	880lm	800 mm	Negro-Black
220-240V ~ 50/60Hz CRI:≥ 80					Aluminio-Aluminium





REFERENCE	BULB NO INCLUDED	FINISH
8155	1L x GU10	Negro-Black
	máx. 12W LED (No incl)	100-240V ~ 50/60Hz Aluminio-Aluminium






Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Phase cut	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm





REFERENCE	BULB NO INCLUDED	FINISH	
1388	1L x E27	Blanco-White	ø350
1391	1L x E27	Blanco-White	ø400
1394	1L x E27	Blanco-White	ø500
máx. 20W LED (No incl)		100-240V~ 50/60Hz PE/ABS-PE/ABS	




Complementos exterior *NO INCLUIDO-Outdoor complements *NOT INCLUDED

TU0492	TU0652	TU0653	TU0494



1397
pág. 440



FLAME

by Santiago Sevillano Studio

Lámpara de suelo-Floor lamp

Outdoor

OAMI 01793845-0001

IP65




REFERENCE	BULB NO INCLUDED	FINISH
1400	4L x GU10 máx 12W LED (No incl) 1L x E27 máx 20W LED (No incl)	Blanco-White
	100-240V~ 50/60Hz	PE/Acero-PE/Steel




Bombillas recomendadas-Suggested bulbs

BULB	Reference	Reference
GU10	R09219	R09220
E27	R09139	R09140

Complementos exterior *NO INCLUIDO-Outdoor complements *NOT INCLUDED




1326
pág. 452



REFERENCE	BULB NO INCLUDED	FINISH
7107	1L x GU10	Gris Piedra-Stone Grey
	máx. 12W LED (No incl)	100-240V ~ 50/60Hz Cemento liso-Smooth cement



7108
pág. 406





Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Phase cut	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm





Señalizadores

Step wall lights




REFERENCE	K	LED WATT	LUMENS	FINISH
7011	3000K	3W	210lm	Gris Oscuro-Dark Grey
7012	3000K	3W	210lm	Blanco arena-Sand white
7640	3000K	3W	210lm	Corten-Corten
7015	3000K	6W	420lm	Gris Oscuro-Dark Grey
7016	3000K	6W	420lm	Blanco arena-Sand white
7642	3000K	6W	420lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC







REFERENCE	K	LED WATT	LUMENS	FINISH
7013	3000K	3W	210lm	Gris Oscuro-Dark Grey
7014	3000K	3W	210lm	Blanco arena-Sand white
7641	3000K	3W	210lm	Corten-Corten
7017	3000K	6W	420lm	Gris Oscuro-Dark Grey
7018	3000K	6W	420lm	Blanco arena-Sand white
7643	3000K	6W	420lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC



ASPEN


Señalizadores empotrables-Recessed step wall lights

Outdoor




REFERENCE	K	LED WATT	LUMENS	FINISH
7021	3000K	3W	210lm	Gris Oscuro-Dark Grey
7022	3000K	3W	210lm	Negro arena-Sand black
7023	3000K	3W	210lm	Blanco arena-Sand white
7024	3000K	3W	210lm	Gris Oscuro-Dark Grey
7025	3000K	3W	210lm	Negro arena-Sand black
7026	3000K	3W	210lm	Blanco arena-Sand white
200-240V~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



× Modos Instalación-Installation Forms



Con tubo carcasa-Recessed tube housing




76mm





Con pinzas-With clamps



74mm






REFERENCE	K	LED WATT	LUMENS	FINISH
7027	3000K	3W	210lm	Gris Oscuro-Dark Grey
7028	3000K	3W	210lm	Negro arena-Sand black
7029	3000K	3W	210lm	Blanco arena-Sand white
7030	3000K	3W	210lm	Gris Oscuro-Dark Grey
7031	3000K	3W	210lm	Negro arena-Sand black
7032	3000K	3W	210lm	Blanco arena-Sand white
200-240V~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



× Modos Instalación-Installation Forms



Con tubo carcasa-Recessed tube housing



76mm



Con pinzas-With clips



74mm



TU0662




TU0663



REFERENCE	OPERATING RATING	VOLTAGE	AMPERE	WIRE SECTION	OUTER CABLE DIAMETER	IP
TU0662	-40°C + 105C	400V AC	17,5A	0.5 mm ² - 1,5 mm ²	3,5 mm-7,0mm; 7mm-10mm	68
TU0663	-40°C + 105C	400V AC	24A	0.5 mm ² - 2,5 mm ²	5 mm-9mm; 9mm-12mm	68

PC-PC PA66 Nylon

PIQUETAS



REFERENCE	DESCRIPCIÓN	ACABADO	TAMAÑO
TU0492	Piqueta 16cm	Negro-Black	40×160 mm
TU0652	Piqueta 21cm	Negro-Black	45×210 mm
TU0653	Piqueta 26cm	Negro-Black	55×270 mm

Aluminio-Aluminium


BASE SUJECIÓN/FIXING BASE

TU0494




REFERENCE	DESCRIPCIÓN	ACABADO	TAMAÑO
TU0494	Disco para suelo	Negro-Black	ø50 mm

Aluminio-Aluminium



Ref	Bulb (no incl)	Finish
8897	1L x E27	Negro-Black
8898	1L x E27	Blanco-White
8899	1L x E27	Gris oscuro-Dark grey
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass






Ref	Bulb (no incl)	Finish
8900	1L x E27	Negro-Black
	máx. 20W LED (No incl)	100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



NEVADA
New


Bolardo-Bollards

Outdoor



Ref	Bulb (no incl)	Finish
8901	1L x E27	Negro-Black
	máx. 20W LED (No incl)	100-240V - 50/60Hz Aluminio/cristal-Aluminium/glass







Ref	Bulb (no incl)	Finish
8928	1L x E27	Gris Oscuro-Dark Grey
8929	1L x E27	Blanco-White
8930	1L x E27	Corten-Corten
máx. 20W LED (No incl)		100-240V - 50/60Hz Aluminio-Aluminium



HOOD
New


Apliques Exterior-Outdoor wall lamp

Outdoor






Ref	CCT	Led Watt	Lumens	Finish
8895	3000K	12W	1100lm	Blanco-White
8896	3000K	12W	1100lm	Gris oscuro-Dark grey
220-240V ~ 50/60Hz CRI: ≥ 80				Aluminio/Acrílico-Aluminium/Acrylic





Ref	CCT	Led Watt	Lumens	Finish
8902	3000K	12W	1000lm	Blanco-White
8903	3000K	12W	1000lm	Gris oscuro-Dark grey
220-240V~ 50/60Hz CRI:≥ 80				Aluminio/Acrílico-Aluminium/Acrylic





Ref	Bulb (no incl)	Finish	SIZE
8844	1L x E27	Gris Oscuro-Dark grey	ø120
8845	1L x E27	Blanco-White	ø120
8846	1L x E27	Gris Oscuro-Dark grey	110x110
8847	1L x E27	Blanco-White	110x110
máx. 20W LED (No incl)		100-240V - 50/60Hz Aluminium/PC-Aluminium/PC	







Ref	CCT switch	Led Watt	Lumens	Finish
8851	2700K-3300K-4000K	15W	1200lm	Negro-Black
8852	2700K-3300K-4000K	15W	1200lm	Blanco-White
8853	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC



Ref	CCT switch	Led Watt	Lumens	Finish
8863	2700K-3300K-4000K	15W	1200lm	Negro-Black
8864	2700K-3300K-4000K	15W	1200lm	Blanco-White
8865	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC

☐ CCT SWITCH
2700K-3300K-4000K






Ref	CCT switch	Led Watt	Lumens	Finish
8857	2700K-3300K-4000K	15W	1200lm	Negro-Black
8858	2700K-3300K-4000K	15W	1200lm	Blanco-White
8859	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V - 50/60Hz CRI:≥ 80				PP+PC-PP+PC



Ref	CCT switch	Led Watt	Lumens	Finish
8854	2700K-3300K-4000K	15W	1200lm	Negro-Black
8855	2700K-3300K-4000K	15W	1200lm	Blanco-White
8856	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC

■ CCT SWITCH
2700K-3300K-4000K





Ref	CCT switch	Led Watt	Lumens	Finish
8860	2700K-3300K-4000K	20W	1600lm	Negro-Black
8861	2700K-3300K-4000K	20W	1600lm	Blanco-White
8862	2700K-3300K-4000K	20W	1600lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC

