


steinhauer
LIGHTING

TRENDS VOOR JAAR


2024



steinhauer
LIGHTING
exclusive



4140ST




4140ZW



Soleil

Article	Electrification	L x W x H	Extra information
4140	30W + 10W	Ø32 x 60-130	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver



4133ZW



Luzhaz

Article	Electrification	L x W x H	Extra information
4133ZW	24W	Ø10 x 157	2700 Kelvin, 2400 Lumen, CRI90, sensordimmer



4130ZW



Ringlux

Article	Electrification	L x W x H	Extra information
4130ZW	2 x 20W	50 x 130-210 x 210-240	2700 Kelvin, 4000 Lumen, CRI90, floor dimmer



4138ZW



4139ZW



Ringlux



Article	Electrification	L x W x H	Extra information
4138ZW	2 x 5W	30-60 x 25 x 110-140	2700 Kelvin, 1000 Lumen, CRI90, touch dimmer,
4139ZW	2 x 5W	25-50 x 20 x 40-75	2700 Kelvin, 1000 Lumen, CRI90, touch dimmer



4134ZW



4135ZW




Ringlux

Article	Electrification	L x W x H	Extra information
4134ZW	20W + 5W	Ø30 x 5,6	2700 Kelvin, 2500 Lumen, CRI90, dimmable driver, top and bottom light
4135ZW	30W + 6W	Ø40 x 56	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver, top and bottom light



4136ZW





4137ZW



Marcadore

Article	Electrification	L x W x H	Extra information
4136ZW	8 x 5W	Ø60 x 90-140	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver
4137ZW	6 x 5W	120 x 10 x 90-140	2700 Kelvin, 3000 Lumen, CRI90, dimmable driver




Pentino

Article	Electrification	L x W x H	Extra information
4125ZW	GU10	16 x 68 x 34	cord switch, excluding light source
4126ZW	GU10	36 x 17 x 133	cord switch, excluding light source




4125ZW



Bloeba

Article	Electrification	L x W x H	Extra information
4141ZW	E27	35 x 30-66 x 150-165	floor switch
K1068	E27	Ø40 x 20	
K2003	E27	Ø50 x 21	






Bloeba

Article	Electrification	L x W x H	Extra information
4142ZW	E27	70 -140 x 4 x 45	cord switch
K1068	E27	Ø40 x 20	
K2004	E27	Ø40 x 17	






4129ZW




4144ZW = 4129ZW+K2002BS



4145ZW = 4129ZW+K2003BS



4146ZW = 4129ZW+K2004BS



4147ZW = 4129ZW+K2006BS

4143ZW = 4128ZW+K2006BS



4128ZW



Bloeba

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cord switch
4129ZW	E27	Ø10 x 8	
K2002BS		Ø60 x 25	
K2003BS		Ø50 x 21	
K2004BS		Ø40 x 17	
K2006BS		Ø20 x 12	



4132ZW



4131ZW



4132W



4131W



4127ZW

Ceiling and Wall

Article	Electrification	L x W x H	Extra information
4127ZW	12W	Ø40 x 9	2700 Kelvin, 1150 Lumen, 4-steps dimmable
4131	15W	Ø20 x 2,5	2700 - 3000 - 3500 Kelvin, 1500 Lumen, CRI90, 4-steps dimmable, IP44
4132	18W	Ø29 x 2,5	2700 - 3000 - 3500 Kelvin, 1800 Lumen, CRI90, 4-steps dimmable, IP44

4124CR



4122CR



4123CR



Sable

Article	Electrification	L x W x H
4122CR	E27	Ø25 x 40-150
4123CR	E27	Ø28 x 40-150
4124CR	E27	Ø30 x 40-150





4110ZW



4109ZW



4111ZW




4112ZW

Preto

Article	Electrification	L x W x H	Extra information
4109ZW	GU10	16 x 10 x 18	excluding light source
4110ZW	2 x GU10	41 x 16 x 18	excluding light source
4111ZW	GU10	23 x 15 x 40	cord switch, excluding light source
4112ZW	2 x GU10	35 x 35 x 161	floor switch, excluding light source





Oeroe

Article	Electrification	L x W x H	Extra information
4113ZW	E14	10 x 19 x 14	
4114ZW	2 x E14	35 x 10 x 19	
4115ZW	3 x E14	57 x 10 x 19	
4116ZW	E14	14 x 10 x 38	cord switch
4117ZW	2 x E14	Ø35 x 151	floor switch



Prato

Article	Electrification	L x W x H	Extra information
4118ZW	E14	15 x 20 x 15	
4119ZW	2 x E14	15 x 40 x 20	
4120ZW	E14	15 x 24 x 45	cable switch
4121ZW	2 x E14	15 x 40 x 151	floor switch